

CLAIMS

1.-14. (cancelled)

15. (currently amended) A system for using services provided by a communication network, the system comprising:

a communication network having internet mechanisms and a central register database for providing information about the services provided by the communication network;

at least one automation system having automation components connected by a conventional field bus, the automation components lacking internet mechanisms; and

a service access unit operative as one element of the automation system, the service access unit for connecting the conventional field bus to the communication network, wherein the service access unit operates as a client for requesting the services from the communication network and operates as a server for providing services in the communication network, the service access unit further including ~~includes~~—a protocol converter for adapting a first communication protocol used by the services to a second communication protocol used by the field bus, thereby permitting the automation components to access internet mechanisms of the communications network, the service access unit further comprising a search engine for searching the central register database.

16. (cancelled)

17. (cancelled)

18. (previously presented) The system according to claim 15, wherein the services are web services.

19. (previously presented) The system according to claim 15, wherein the communication network is an intranet.

Serial No. 10/572,898

Atty. Doc. No. 2003P12785WOUS

20. (previously presented) The system according to claim 15, wherein the service access unit provides further services in the communication network.

21. (currently amended) A method for using services provided in at least one communication network having internet mechanisms and at least one automation system comprising automation components connected by a conventional field bus, the method comprising:

connecting the conventional field bus to the communication network by a service access unit, the automation components lacking internet mechanisms and the communication network having a central register database for providing information about the services provided by the communication network, the service access unit operative as one element of the automation system;

adapting a first communication protocol used by the services to a second communication protocol used by the field bus by a protocol converter included in the service access unit, thereby permitting the automation components to access internet mechanisms of the communications network; and

accessing the services by the automation components using the service access unit as a client, wherein the service access unit operates as a server for providing services in the communication network, the service access unit comprising a search engine for searching the central register database.

22. (cancelled)

23. (cancelled)

24. (previously presented) The method according to claim 21, wherein the services are web services.

Serial No. 10/572,898

Atty. Doc. No. 2003P12785WOUS

25. (previously presented) The method according to claim 21, wherein the communication network is an intranet.

26. (previously presented) The method according to claim 21, wherein the service access unit provides further services in the communication network.

27. (previously presented) The method according to claim 21, wherein the services include executing a software update of at least one of the automation components.

28. (currently amended) A service access unit for connecting an automation system having automation components to a communication network having internet mechanisms, the communication network having a central register database for providing information about the services provided by the communication network, the service access unit comprising a protocol converter for adapting a first communication protocol used by the services to a second communication protocol used by a conventional field bus, the automation components lacking internet mechanisms, the service access unit operative as one element of the automation system, the conventional field bus connecting the automation components, wherein the service access unit further operates as a an-internet-client for requesting services from the communication network, or as a server for providing services in the communication network an-intranet-client for requesting the services and permitting the automation components to access the internet mechanisms of the communications network, the service access unit further comprising a search engine for searching the central register database.